

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----			----- LOCAL HEALTH DEPARTMENTS -----		
Total 2001 Population 5,420,310				Community Options and MA Waiver Programs			Per 10,000 Population		
Population per square mile 100							Staffing - FTE		
County ranking in state (1-72) .							Total staff 1,879 3.5		
Age	Female	Male	Total	COP	Clients	Costs	Administrative	248	0.5
0-14	554,480	582,300	1,136,780	MA Waiver *	8,553	\$30,865,735	Professional staff	1,046	1.9
15-19	200,510	210,990	411,490	CIP1A	1,135	\$65,970,592	Technical/Paraprof.	189	0.3
20-24	176,770	184,300	361,070	CIP1B	8,023	\$212,493,969	Support staff	396	0.7
25-29	165,630	171,810	337,440	CIP2	3,040	\$36,942,878			
30-34	185,780	190,400	376,190	COP-W	9,737	\$72,797,333	Funding		
35-39	219,890	219,960	439,850	CSLA	218	\$1,248,818	Total	\$121,234,171	Per capita \$22.45
40-44	221,150	223,760	444,920	Brain Injury	242	\$12,658,505	Local Taxes	\$64,330,394	\$11.91
45-54	367,440	372,600	740,040	Total COP/Wvrs	24,322	\$432,977,831	----- LICENSED ESTABLISHMENTS -----		
55-64	236,270	226,310	462,570	\$29,729,578 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.			Type	Capacity	Facilities
65-74	192,950	166,120	359,060				Bed & Breakfast	2,266	652
75-84	153,350	100,940	254,270				Camps	56,691	1,093
85+	69,100	27,530	96,630				Hotels, Motels	97,667	3,079
Total	2,743,310	2,677,030	5,420,310				Tourist Rooming	7,627	2,779
Age	Female	Male	Total				Pools		2,839
0-17	674,100	709,120	1,383,210				Restaurants		16,293
18-44	1,050,110	1,074,400	2,124,530				Vending		476
45-64	603,710	598,910	1,202,610				----- WIC PARTICIPANTS -----		
65+	415,400	294,590	709,960						
Total	2,743,310	2,677,030	5,420,310						
Poverty Estimates for 2000				Family Care 5,212 \$79,661,032					
Estimate (C.I.+/-)				Note: In 2001, five counties piloted the Family Care Waiver. Eligible and waiting clients will be phased into Family Care. Hence, clients can incur costs for COP/Waivers and Family Care.			Number		
All ages	464,714		2,860				Pregnant/Postpartum		52,001
	8.7%		(0%)				Infants		55,670
Ages 0-17	153,051		1,619				Children, age 1-4		73,821
	11.2%		(1%)				Total		181,492
----- EMPLOYMENT -----							----- CANCER INCIDENCE -----		
Average wage for jobs covered by unemployment compensation \$31,536				Home Health Agencies 150			1999		
Note: based on place of work				Patients 69,929			Number		
Annual				Patients per 10,000 pop. 129			Primary Site		
Labor Force Estimates				Nursing Homes 411			Breast 4,540		
Average				Licensed beds 44,319			Cervical 809		
Civilian Labor Force 2,990,578				Occupancy rate 84.6%			Colorectal 3,316		
Number employed 2,854,473				Residents on Dec.31 37,506			Trachea, Bronchus, Lung 3,195		
Number unemployed 136,105				Residents age 65 or older			Prostate 3,745		
Unemployment rate 4.6%				per 1,000 population 49			Other sites 10,124		
							Total 25,729		

NATALITY

NATALITY												
TOTAL LIVE BIRTHS			69,012		Birth Order		Births		Percent		Marital Status	
Crude Live Birth Rate			12.7		First		27,047		39		of Mother	
General Fertility Rate			59.0		Second		22,732		33		Married	
					Third		11,330		16		Not married	
					Fourth or higher		7,897		11		Unknown	
Live births with reported congenital anomalies			876 1.3%		Unknown		6		<.5			
					First Prenatal Visit		Births		Percent		Education of Mother	
Delivery Type			Births Percent		1st trimester		57,747		84		Elementary or less	
Vaginal after previous cesarean			1,463 2		2nd trimester		8,830		13		Some high school	
Forceps			1,180 2		3rd trimester		1,715		2		High school	
Other vaginal			53,197 77		No visits		550		1		Some college	
Primary cesarean			8,277 12		Unknown		170		<.5		College graduate	
Repeat cesarean			4,893 7								Unknown	
Other or unknown			2 <.5									
					Number of Prenatal Care visits		Births		Percent		Smoking Status of Mother	
Birthweight			Births Percent		No visits		549		1		Smoker	
<1,500 gm			885 1.3		1-4		1,994		3		Nonsmoker	
1,500-2,499 gm			3,672 5.3		5-9		12,624		18		Unknown	
2,500+ gm			64,436 93.4		10-12		30,219		44			
Unknown			19 <.5		13+		23,383		34			
					Unknown		243		<.5			
					Low Birthweight (under 2,500 gm)		1st Trimester		Trimester of First Prenatal Visit		2nd Trimester	
Race of Mother			Births Percent		Births Percent		Births Percent		Births Percent		Other/Unknown	
White			58,949 85		3,462 5.9		50,725 86		6,509 11		1,715 3	
Black			6,517 9		861 13.2		4,521 69		1,449 22		547 8	
Other			3,523 5		233 6.6		2,484 71		867 25		172 5	
Unknown			23 <.5		1 4.3		17 74		5 22		1 4	
					Low Birthweight (under 2,500 gm)		1st Trimester		Trimester of First Prenatal Visit		2nd Trimester	
Age of Mother			Births Rate		Births Percent		Births Percent		Births Percent		Other/Unknown	
<15			80 --		8 10.0		35 44		27 34		18 23	
15-17			2,167 18		208 9.6		1,310 60		656 30		201 9	
18-19			4,602 57		371 8.1		3,219 70		1,080 23		303 7	
20-24			15,951 90		1,162 7.3		12,379 78		2,806 18		766 5	
25-29			19,176 116		1,126 5.9		16,705 87		1,974 10		497 3	
30-34			17,745 96		1,018 5.7		15,998 90		1,398 8		349 2	
35-39			7,737 35		518 6.7		6,808 88		700 9		229 3	
40+			1,552 7		145 9.3		1,293 83		189 12		70 5	
Unknown			2 --		* .		* .		* .		* .	
Teenage Births			6,849 34		* Not reported: age or race category has less than 5 births							

MORTALITY

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

Disease	Number
Campylobacter Enteritis	1,153
Giardiasis	764
Hepatitis Type A	88
Hepatitis Type B**	649
Hepatitis NANB/C	2,855
Legionnaire's	44
Lyme	597
Measles	<5
Meningitis, Aseptic	300
Meningitis, Bacterial	54
Mumps	<5
Pertussis	148
Salmonellosis	829
Shigellosis	305
Tuberculosis	86

```
* 2001 provisional data
** Includes all positive HBsAg
   test results
```

Sexually Transmitted Disease	
Chlamydia Trachomatis	16,552
Genital Herpes	2,452
Gonorrhea	6,114
Syphilis	138

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level	
Compliant	967,163
Non-compliant	35,016
Percent Compliant	96.5

TOTAL DEATHS		46,537
Crude Death Rate		857
Age	Deaths	Rate
1-4	88	25
5-14	125	16
15-19	259	63
20-34	857	80
35-54	4,011	247
55-64	4,065	879
65-74	7,796	2,171
75-84	13,709	5,391
85+	15,136	15,663

Infant Mortality	Deaths	Rate
Total Infant	491	7.1
Neonatal	323	4.7
Postneonatal	168	2.4
Unknown	.	.

Race of Mother		
White	340	5.8
Black	121	18.6
Other	30	8.5
Unknown	.	.

Birthweight		
<1,500 gm	219	247.5
1,500-2,499 gm	64	17.4
2,500+ gm	196	3.0
Unknown	12	.

Perinatal	Deaths	Rate
Mortality		
Total Perinatal	698	10.1
Neonatal	323	4.7
Fetal	375	5.4

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	12,985	239
Ischemic heart disease	8,894	164
Cancer (total)	10,752	198
Trachea/Bronchus/Lung	2,738	50
Colorectal	1,126	21
Female Breast	819	30*
Cerebrovascular Disease	3,652	67
Lower Resp. Disease	2,367	44
Pneumonia & Influenza	1,233	23
Accidents	2,074	38
Motor vehicle	804	15
Diabetes	1,334	25
Infectious & Parasitic	662	12
Suicide	634	12

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING
OR CONTRIBUTING CAUSE OF DEATH

Alcohol	737	14
Other Drugs	748	14
Both Mentioned	87	2

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	58,279	764
Alcohol-Related	6,586	304
With Citation:		
For OWI	4,382	47
For Speeding	4,441	7
Motorcyclist	2,166	70
Bicyclist	1,179	9
Pedestrian	1,545	42

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	47,767	8.8	4.7	\$14,765	\$130	Total	13,652	2.5	4.0	\$4,980	\$13
<18	4,588	3.3	3.4	\$11,626	\$39	18-44	7,641	3.6	3.6	\$4,024	\$14
18-44	12,315	5.8	3.9	\$14,054	\$81	45-64	4,812	4.0	4.2	\$6,009	\$24
45-64	10,600	8.8	4.7	\$15,916	\$140	Pneumonia and Influenza					
65+	20,264	28.5	5.4	\$15,307	\$437	Total	18,570	3.4	5.0	\$10,401	\$36
Injury: Hip Fracture						<18	2,107	1.5	2.9	\$5,785	\$9
Total	5,847	1.1	5.9	\$17,539	\$19	45-64	3,093	2.6	5.0	\$11,774	\$30
65+	5,286	7.4	5.9	\$17,449	\$130	65+	11,612	16.4	5.4	\$10,920	\$179
Injury: Poisonings						Cerebrovascular Disease					
Total	4,028	0.7	2.3	\$6,247	\$5	Total	15,761	2.9	4.7	\$13,272	\$39
18-44	2,233	1.1	2.1	\$5,958	\$6	45-64	3,016	2.5	4.9	\$16,830	\$42
Psychiatric						65+	12,137	17.1	4.5	\$11,880	\$203
Total	35,688	6.6	8.5	\$7,717	\$51	Chronic Obstructive Pulmonary Disease					
<18	7,062	5.1	9.3	\$8,434	\$43	Total	13,302	2.5	3.8	\$7,869	\$19
18-44	17,283	8.1	7.5	\$6,373	\$52	<18	1,886	1.4	2.0	\$3,645	\$5
45-64	6,721	5.6	9.2	\$8,189	\$46	18-44	1,692	0.8	2.8	\$5,987	\$5
65+	4,622	6.5	9.9	\$10,960	\$71	45-64	2,964	2.5	3.9	\$8,652	\$21
Coronary Heart Disease						65+	6,760	9.5	4.6	\$9,175	\$87
Total	32,538	6.0	4.0	\$23,457	\$141	Drug-Related					
45-64	11,189	9.3	3.4	\$23,684	\$220	Total	3,300	0.6	6.7	\$5,905	\$4
65+	19,917	28.1	4.5	\$23,542	\$660	18-44	2,135	1.0	5.0	\$4,748	\$5
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	23,227	4.3	6.1	\$18,761	\$80	Total	625,526	115.2	4.2	\$10,555	\$1,216
18-44	2,134	1.0	5.3	\$20,021	\$20	<18	109,276	79.0	3.2	\$5,036	\$398
45-64	7,815	6.5	5.7	\$18,804	\$122	18-44	168,301	79.2	3.4	\$7,799	\$618
65+	12,976	18.3	6.4	\$18,142	\$332	45-64	122,437	101.8	4.4	\$13,635	\$1,388
Neoplasms: Female Breast (rates for female population)						65+	225,512	317.6	5.2	\$13,615	\$4,325
Total	2,254	0.8	2.1	\$10,041	\$8						
Neoplasms: Colo-rectal						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	2,968	0.5	8.6	\$23,132	\$13	Total	78,767	14.5	4.3	\$9,088	\$132
65+	2,138	3.0	9.1	\$24,179	\$73	<18	8,643	6.2	2.4	\$4,879	\$30
Neoplasms: Lung						18-44	10,296	4.8	3.3	\$7,859	\$38
Total	2,229	0.4	6.5	\$19,121	\$8	45-64	15,296	12.7	4.3	\$10,381	\$132
Diabetes						65+	44,532	62.7	4.8	\$9,746	\$611
Total	6,938	1.3	5.0	\$12,003	\$15						
65+	2,610	3.7	5.9	\$12,779	\$47						

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.